WHO should have a TB test?

Anyone can get tuberculosis, but some people are more likely to be infected than others. The following people are at high risk and may need to be tested:

- People who have symptoms of TB such as cough, tiredness, night sweats, fever, weight loss, or coughing up blood
- Homeless people
- Injection drug users
- People with HIV infection (the virus that causes AIDS)
- Diabetics
- Dialysis patients
- People with special medical conditions that weaken the immune system (cancer, organ transplant, or steroid medication)
- People who share the same breathing space (such as family members, friends, coworkers) with someone who has TB disease
- People recently arrived from areas of the world where TB is common (for example, Asia, Africa, or Latin America)
- People who live or work in prisons, nursing homes, or homeless shelters

TB Test Sites in your area:

Adult Immunization and Travel Clinic: 101 Grove Street (Rm 102), (415) 554-2625

Castro - Mission Health Center: 3850 17th Street, (415) 934-7700

Children's Health Center at SFGH: 1001 Potrero Avenue (Rm 6M5), (415) 206-8376

Chinatown Public Health Center: 1490 Mason Street, (415) 364-7600

Curry Senior Center: 333 Turk Street, (415) 885-2274

Glide Health Services: 330 Ellis Street (4th Floor), (415) 674-6140

Haight Ashbury Free Clinic: 558 Clayton Street, (415) 746-1950

Lyon Martin Women's Health Service: 1748 Market Street, #201, (415) 565-7667

Maxine Hall Health Center: 1301 Pierce Street, (415) 292-1300

Mission Neighborhood Health Center: 240 Shotwell Street, (415) 552-3870

Mission Neighborhood Resource Center: 165 Capp Street, (415) 869-7977

Native American Health Center: 160 Capp Street, (415) 621-8051

North East Medical Services: 1520 Stockton Street, 82 Leland Avenue, 2308 Taraval Street, (415) 391-9686

Ocean - Park Health Center: 1351 24th Avenue, (415) 682-1900

Potrero Hill Health Center: 1050 Wisconsin Street, (415) 648-3022

St. Anthony's Free Medical Clinic: 150 Golden Gate Avenue, (415) 241-8320

San Francisco Free Clinic: 4900 California Street, (415) 750-9894

South of Market Health Center: 551 Minna Street, (415) 626-2951

Southeast Health Center: 2401 Keith Street, (415) 671-7000

Tom Waddell Health Center: 50 Lech Walesa Street, (415) 355-7400

TUBERCULOSIS

What is Tuberculosis?

Should I be tested?

How do I know if I have Tuberculosis (TB)?

Only your doctor can tell if you have TB. First you will be given either a skin test or the new blood test. A positive skin or blood test means TB germs are in your body—*Latent TB Infection*. If you have a positive test, you will need a chest x-ray to find out if the germs have caused any damage in your lungs—*Active TB Disease*. You may be asked to cough up sputum (mucus) from your lungs to check for TB germs.


If you have had a positive TB test in the past or have taken TB medication, please tell the healthcare worker at the time you are screened for TB.

There is a difference between TB Infection and TB Disease!

TB Infection

If you are among the many people infected with TB:

- You have dormant (sleeping) TB germs in your body.
- You are not sick, and you have no symptoms.
- You <u>cannot</u> give the germs to anyone else.



Active TB Disease

If you are among the few people with active TB disease:

- You have many active TB germs in your body.
- You are sick and you may have symptoms like a cough, fever, and weight loss.
- You need to see a doctor!
- You <u>can</u> give TB germs to others.



TB germs are coughed into the air by someone who is sick with *Active* TB *Disease*. You can only catch **tuberculosis** by breathing in the germ.

You CANNOT get TB from:

- Clothes
- Sharing eating utensils
- Food
- Bedding
- Toilet seats
- Shaking hands
- Sexual intercourse
- Using and sharing needles

