

## 那些人需要做結核病菌測試?

每一個人都有可能染上結核病，某些人有較高感染機會。以下是一些有較高機會染上結核病而需要測試的例子：

- 那些有結核病的癥狀，例如咳嗽，疲倦，出夜汗，發燒，體重下降或吐血。
- 露宿街頭者
- 吸毒者
- 特別是感染了人體免疫力缺乏病毒(即愛滋病病毒)的人。
- 糖尿病患者
- 腎功能衰退病患者
- 一些慢性病患而使到免疫能力衰退者(如癌症,器官移植 或服用類固醇藥物等)
- 那些與肺結核病患者有較多接觸的人(如家人,朋友,同事等)
- 一些住在較高肺結核病患者的國家而又剛剛抵達美國者(如:亞洲,非洲及亞丁美洲)
- 一些在監房,療養院或無家可歸庇護所居住或工作者。

## 肺結核檢查地點

Adult Immunization and Travel Clinic: 101 Grove Street (Rm 102), (415) 554-2625

Castro - Mission Health Center: 3850 17th Street, (415) 934-7700

Children's Health Center at SFGH: 1001 Potrero Avenue (Rm 6M5), (415) 206-8376

Chinatown Public Health Center: 1490 Mason Street, (415) 364-7600

Curry Senior Center: 333 Turk Street, (415) 885-2274

Glide Health Services: 330 Ellis Street (4th Floor), (415) 674-6140

Haight Ashbury Free Clinic: 558 Clayton Street, (415) 746-1950

Lyon Martin Women's Health Service: 1748 Market Street, #201, (415) 565-7667

Maxine Hall Health Center: 1301 Pierce Street, (415) 292-1300

Mission Neighborhood Health Center: 240 Shotwell Street, (415) 552-3870

Mission Neighborhood Resource Center: 165 Capp Street, (415) 869-7977

Native American Health Center: 160 Capp Street, (415) 621-8051

North East Medical Services: 1520 Stockton Street, 82 Leland Avenue, 2308 Taraval Street, (415) 391-9686

Ocean - Park Health Center: 1351 24th Avenue, (415) 682-1900

Potrero Hill Health Center: 1050 Wisconsin Street, (415) 648-3022

St. Anthony's Free Medical Clinic: 150 Golden Gate Avenue, (415) 241-8320

San Francisco Free Clinic: 4900 California Street, (415) 750-9894

South of Market Health Center: 551 Minna Street, (415) 626-2951

Southeast Health Center: 2401 Keith Street, (415) 671-7000

Tom Waddell Health Center: 50 Lech Walesa Street, (415) 355-7400

## 結核病

### 結核病是可以醫治及痊癒的

### 我需要檢查嗎?

### 我怎樣知道是否已患上結核病?

只有你的醫生能告訴你是否已患有結核病。首先你須接受舊式的皮下測試或新採用的驗血方法作檢查。呈陽性反應則表示已經有細菌潛伏體內(感染期)，你須要照肺X光片以確定體內細菌有否破壞你的肺部而形成結核病。在醫生診斷你是否有傳染性結核病期間，你可能須要取痰樣本化驗是否有細菌存在。

如果過去測試是陽性反應或曾經服藥的話，在檢查時請告訴醫務人員。

# 你知道感染結核菌與患結核病有很大的分別嗎？

## 感染結核菌

如你是大多數感染了結核菌的帶菌者.

- 你的體內潛有結核病菌
- 你並未發病及沒有病癥
- 你不會傳染給別人



他已做皮下試驗,他被感染細菌,但並沒有傳染性



## 活躍的結核病

如少數染上結核病患者.

- 你的體內存有活躍性的結核病菌.
- 你已發病,會有咳嗽,發燒及體重下降的病癥.
- **你須要見醫生!**
- 你可以傳染細菌給別人



活躍性結核病是可傳染的

細菌是從患有活躍性結核病者咳嗽或噴嚏時散播在空氣中. 你只能從空氣中吸入細菌而得到結核病.

# 你不能感染結核病從:

- 衣服
- 共同使用的餐具
- 食物
- 床, 寢具
- 廁所板
- 握手
- 性交
- 共用針筒

