

## CITY AND COUNTY OF SAN FRANCISCO PUBLIC HEALTH LABORATORY

101 Grove Street, Room 419 San Francisco, CA 94102 Tel: (415) 554-2800 Fax: (415) 431-0651 Godfred Masinde, PhD., Lab Director CLIA ID # 05D0643643

## **Test Order**

## AFB (Acid Fast) Smear

Synonym(s)	Screening for the presence of acid-fast bacilli in a clinical specimen
Methodology	Acid Fast Fluorescent Stain (Auramine-Rhodamine) and Microscopy
Acceptable Specimen	Sputum (expectorated or induced); urine (first morning collection)
Type(s) for Testing	
Transport / Collection	Sputum: sterile collection cup; urine: large sterile plastic container
Medium	
Storage and	Refrigerate at 4°C after collection and deliver to the laboratory within 3 days.
Preservation of	
Specimen	
Minimum Volume	3 – 10 mL (1 mL is acceptable) sputum; >50 mL urine
Required Additional Collection	165 Challe has a through a construction of the first hand
Instructions	It is ideal to have at least three consecutive sputum specimens obtained, each
matructions	collected within 24 hours and at least one being an early morning specimen.  Have the patient rinse mouth with water before collecting the specimen to
	minimize contamination with food particles, mouth wash, or oral drugs which
	might inhibit the growth of mycobacteria.
Additional Required	Label specimen with patient name, date of birth, medical record number and
Information	date of collection; Label requisition with patient name, date of birth, address,
	medical record number, gender, date of collection, submitter name, requesting
	clinician, specimen source and test request.
Send Out?	No
Turnaround Time	24 hours
Testing Restrictions	Rejection Criteria: Leaky specimens; No label on the specimen; Requisition and
	specimen labels do not match; Quantity not sufficient for testing; Specimen is
	too old for testing; Specimen was not stored properly
Requisition Form(s)	http://sfcdcp.org/document.html?id=1035
Limitations / Notes /	Recovery of mycobacteria species is dependent upon quality of specimen
Disclaimer	and collection. It is critical to follow the collection procedure to ensure
	inhibitory substances are removed from the mouth.
	ווווווטונטו אַ סטטסנמווטפס מופ ופוווטיפט ווטווו נוופ וווטענוו.

Updated 5/5/2017